

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 1 | "6202152".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2008/07/25 12:35 |
| L2 | 1 | "5615020".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2008/07/25 13:08 |
| L8 | 4 | (US-5594793-\$ or US-6157720-\$ or US-6202152-\$ or US-5615020-\$).did. | USPAT | OR | ON | 2008/07/25 13:09 |
| L9 | 2 | 8 and (audio video visual) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2008/07/25 13:09 |
| S1 | 2766 | @ad<"19990315" and (identification authentication) with storage with process\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/26 13:54 |
| S2 | 288 | (@ad<"19990315" and (identification authentication) with storage with process\$6) and encrypt\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/02 16:15 |
| S3 | 92 | (@ad<"19990315" and (identification authentication) with storage with process\$6) and encrypt\$6 same blocks | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/02 16:15 |
| S4 | 10 | (@ad<"19990315" and (identification authentication) with storage with process\$6) and encrypt\$6 same blocks with length | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/02 16:16 |
| S5 | 1 | "5881287".PN. | USPAT | OR | OFF | 2003/12/02 16:17 |
| S6 | 1 | "5835601".PN. | USPAT | OR | OFF | 2003/12/02 16:17 |
| S7 | 102 | 713/193.ccls. and @ad<"19990315" and data with processing and (authentication identification) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/02 16:18 |

| | | | | | | |
|-----|----------|--|---|----|----|---------------------|
| S8 | 90 | (713/193.ccls. and @ad<"19990315" and data with processing and (authentication identification)) and encrypt \$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/02 16:18 |
| S9 | 17537174 | @ad<"19990315" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/03 08:46 |
| S10 | 606 | data adj process\$6 and encrypt\$5 and memory and fixed adj length | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/03 08:47 |
| S11 | 232 | @ad<"19990315" and (data adj process\$6 and encrypt\$5 and memory and fixed adj length) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/03 08:47 |
| S12 | 70 | ((@ad<"19990315" and (data adj process\$6 and encrypt\$5 and memory and fixed adj length)) and memory same (authentication identification) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/09 13:01 |
| S13 | 794 | 711/163.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/03 09:12 |
| S14 | 469 | 711/163.ccls. and @ad<"19990315" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 14:38 |
| S15 | 287 | (711/163.ccls. and @ad<"19990315") and (authenticat\$5 identif\$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/03 09:12 |
| S16 | 122 | (711/163.ccls. and @ad<"19990315") and (authenticat\$5 identif\$7) same (memory and process \$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/03 09:13 |
| S17 | 137 | (711/163.ccls. and @ad<"19990315") and (authenticat\$5 identif\$7) same ((memory storage) and process\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/03 09:13 |

| | | | | | | |
|-----|----------|---|---|----|-----|---------------------|
| S18 | 21 | ((711/163.cds. and @ad<"19990315") and (authenticat\$5 identif\$7) same ((memory storage) and process\$5)) and encrypt\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/03 09:18 |
| S19 | 0 | @ad<"19990315" and processor and encryption adj (module engine unit) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/19 15:13 |
| S20 | 0 | @ad<"19990315" and processing adj (module engine unit) and encryption adj (module engine unit) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/03 09:23 |
| S21 | 763 | @ad<"19990315" and content and copyright\$2 and encryption and processing | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/03 09:28 |
| S22 | 105 | @ad<"19990315" and content and copyright\$2 and encrypt\$4 and (processing processor) and fixed adj length | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/03 09:29 |
| S23 | 155 | @ad<"19990315" and content and copyright\$2 and encrypt\$4 and (processing processor) and fixed adj (length size) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/03 09:38 |
| S24 | 72 | @ad<"19990315" and content with protect\$5 and encrypt\$4 and (processing processor) and fixed adj (length size) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/03 10:00 |
| S25 | 4 | "5,995,628".pn. "6,385,727".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/03 10:01 |
| S26 | 6 | (US-5765197-\$ or US-6378071-\$ or US-6385727-\$ or US-5467396-\$ or US-5548648-\$ or US-5594793-\$).did. | USPAT | OR | OFF | 2003/12/09 10:50 |
| S27 | 17539062 | @ad<"19990315" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/09 13:03 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S28 | 5111 | (data adj block with fixed length and encrypt\$5 and @ad<"19990315") and processing and memory | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/09 13:17 |
| S29 | 2 | @ad<"19990315" and fixed adj length with data same encrypt\$5 and cipher adj block adj chaining | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/09 13:06 |
| S30 | 211 | ((data adj block with fixed length and encrypt\$5 and @ad<"19990315") and processing and memory) and pad with (bits bytes) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/09 13:18 |
| S31 | 14 | ((data adj block with fixed length and encrypt\$5 and @ad<"19990315") and processing and memory) and pad with (bits bytes) and cipher adj block | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/09 13:32 |
| S32 | 38 | "4078152".URPN. | USPAT | OR | ON | 2003/12/09 13:32 |
| S33 | 1 | "4078152".URPN. and pad with (bit bytes) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/09 13:32 |
| S34 | 7826 | data adj block with fixed length and encrypt\$5 and @ad<"19990315" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 09:55 |
| S35 | 20 | (data adj block with fixed length and encrypt\$5 and @ad<"19990315") and pad and cipher adj block adj chain\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 10:01 |
| S36 | 14 | (data adj block with fixed length and encrypt\$5 and @ad<"19990315") and padding and cipher adj block adj chain\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 10:01 |
| S37 | 19 | (data adj block with fixed length and encrypt\$5 and @ad<"19990315") and padded and cipher adj block adj chain\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 11:36 |
| S38 | 1 | ((US-5765197-\$ or US-6378071-\$ or US-6385727-\$ or US-5467396-\$ or US-5548648-\$ or US-5594793-\$).did.) and cbc | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 14:37 |

| | | | | | | |
|-----|----------|--|---|----|-----|---------------------|
| S39 | 0 | ((US-5765197-\$ or US-6378071-\$ or US-6385727-\$ or US-5467396-\$ or US-5548648-\$ or US-5594793-\$).did.) and cbc) and compressed | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 14:37 |
| S40 | 17539062 | @ad<"19990315" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 14:38 |
| S41 | 600 | @ad<"19990315" and compressed with data same encrypt\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 14:47 |
| S42 | 15 | (@ad<"19990315" and compressed with data same encrypt\$5) and (storage memory) with (identif\$6 authentic\$7) with processor\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 14:41 |
| S43 | 49 | @ad<"19990315" and compressed with data same (decompress expand) same encrypt\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 15:14 |
| S44 | 3 | (@ad<"19990315" and compressed with data same encrypt\$5) and consecutive adj address\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 15:15 |
| S45 | 0 | @ad<"19990315" and consecutive adj address\$3 same memory same encrypt\$5 and compress\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 15:18 |
| S46 | 2 | @ad<"19990315" and consecutive adj address\$3 same memory same encrypt\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 15:18 |
| S47 | 8 | (US-5765197-\$ or US-6378071-\$ or US-6385727-\$ or US-5467396-\$ or US-5548648-\$ or US-5594793-\$ or US-4078152-\$ or US-4386416-\$).did. | USPAT | OR | OFF | 2003/12/10 16:04 |
| S48 | 2 | ((US-5765197-\$ or US-6378071-\$ or US-6385727-\$ or US-5467396-\$ or US-5548648-\$ or US-5594793-\$ or US-4078152-\$ or US-4386416-\$).did.) and identification | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/10 16:04 |

| | | | | | | |
|-----|----------|--|---|----|----|---------------------|
| S49 | 2 | "6158010".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/15 12:53 |
| S50 | 17557621 | @ad<"19990315" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 10:15 |
| S51 | 107 | @ad<"19990315" and des. ti. and (chip microchip IQ). ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 10:37 |
| S52 | 250 | @ad<"19990315" and des. ti. and (chip processor microprocessor asic microchip IQ).ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 10:38 |
| S53 | 27 | (@ad<"19990315" and des.ti. and (chip processor microprocessor asic microchip IQ).ti.) and block | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 10:21 |
| S54 | 107 | @ad<"19990315" and "des".ti. and (chip microchip IQ).ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 10:25 |
| S55 | 250 | @ad<"19990315" and "des".ti. and (chip processor microprocessor asic microchip IQ).ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 10:27 |
| S56 | 3 | @ad<"19990315" and des!.ti. and (chip microchip IQ).ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 10:39 |
| S57 | 11 | @ad<"19990315" and des!.ti. and (chip processor microprocessor asic microchip IQ).ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 12:07 |
| S58 | 245 | @ad<"19990315" and 380/29.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 12:07 |

| | | | | | | |
|-----|----------|--|---|----|----|---------------------|
| S60 | 17580970 | @ad<"19990315" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/19 15:19 |
| S61 | 22 | S60 and stor\$5 with encrypted with data and expand\$5 with compressed | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/19 15:25 |
| S62 | 1954 | @ad<"19990315" and encrypt\$5 same compress \$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 11:48 |
| S63 | 349 | @ad<"19990315" and encrypt\$5 same compress \$5 same block | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 13:31 |
| S64 | 3 | "6904416".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 12:51 |
| S65 | 2 | "6289460".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 12:51 |
| S66 | 30 | @ad<"19990315" and encrypt\$5 same compress \$5 same block with length | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 15:25 |
| S67 | 0 | @ad<"19990315" and encrypt\$5 same compress \$5 same block and straddle | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 13:32 |
| S68 | 86 | @ad<"19990315" and encrypt\$5 same compress \$5 same block and cross | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 13:32 |
| S69 | 2 | @ad<"19990315" and encrypt\$5 same compress \$5 same block and cross with block | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 13:32 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S70 | 0 | @ad<"19990315" and encrypt\$5 same compress \$5 same block with overlap | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 15:25 |
| S71 | 0 | @ad<"19990315" and encrypt\$5 same compress \$5 same block with overlap \$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 15:26 |
| S72 | 20 | @ad<"19990315" and encrypt\$5 same compress \$5 same block with size | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/14 10:48 |
| S73 | 462 | @ad<"19990315" and compress\$3 near2 encrypted | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 09:27 |
| S74 | 76 | @ad<"19990315" and compress\$3 near2 encrypted adj data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 09:27 |
| S75 | 236 | @ad<"19990315" and read with block and compressed and encrypted | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/26 13:59 |
| S76 | 154 | @ad<"19990315" and read near4 block and compressed and encrypted | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/26 13:59 |
| S77 | 11 | @ad<"19990315" and read near4 block same compressed and encrypted | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/26 14:06 |
| S78 | 31 | @ad<"19990315" and ("2" two) adj blocks same ("1" one) adj compress\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/26 14:37 |
| S79 | 0 | @ad<"19990315" and ("2" two) near2 block with encrypt\$5 same ("1" one) near2 compress\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/26 14:07 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| S80 | 40942 | @ad<"19990315" and compress\$5 with block | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/26 14:37 |
| S81 | 8691 | @ad<"19990315" and compress\$5 with block same data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/26 14:38 |
| S82 | 7526 | @ad<"19990315" and compress\$5 with block with data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/26 14:38 |
| S83 | 334 | @ad<"19990315" and compress\$5 with block with data and reduc\$5 with access\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/26 14:43 |
| S84 | 58 | @ad<"19990315" and compress\$5 with block with data and reduc\$5 with access\$3 and read with compressed with block | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/26 14:43 |
| S85 | 72 | @ad<"19990315" and compress\$5 with block with data and reduc\$5 with access\$3 and (read load\$2 accessed) with compressed with block | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/26 14:43 |
| S86 | 97 | @ad<"19990315" and compress\$5 with block with data and reduc\$5 with access\$3 and (read load\$2 access\$5) with compressed with block | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/26 14:43 |
| S87 | 107 | @ad<"19990315" and encrypt\$5 near3 compressed adj (data block packet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/06 14:30 |
| S88 | 605 | hino | EPO | OR | ON | 2006/08/14 10:49 |
| S89 | 202 | @ad<"19990315" and compress\$3 near2 data same encrypt\$5 near2 compressed | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 15:32 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S90 | 27 | @ad<"19990315" and compress\$3 near2 data same encrypt\$5 near2 compressed same block | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 15:34 |
| S91 | 1 | "6157720".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/07/30 17:07 |
| S92 | 1106 | @ad<"19990315" and compression same data same half | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/31 12:21 |
| S93 | 346 | @ad<"19990315" and compression with data with half | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/31 12:29 |
| S94 | 239 | @ad<"19990315" and read with block and compressed and encrypted | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/31 12:29 |
| S95 | 156 | @ad<"19990315" and read near4 block and compressed and encrypted | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/31 12:29 |
| S96 | 10 | @ad<"19990315" and compression with data with half same huffman | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/31 12:30 |
| S97 | 1 | "5615020".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2007/12/21 12:50 |

7/ 25/ 08 1:58:17 PM

C:\Documents and Settings\analven\My Documents\EAST\Workspaces\09-524358.wsp